



CP1320 Attachment– REDLINE TEXT CHANGES TO BSCP504 V23.2

Section 1 to Section 3.2.6.32 will not be impacted by CP1320.

| REF | WHEN | ACTION | FROM | TO | INFORMATION REQUIRED | METHOD |
|----------|--|---|---|--|--|-----------------|
| 3.2.6.33 | No later than 12 months ¹ after SSD, if the new Supplier wants to dispute the CoS reading prior to the Final Volume Allocation Run ² . | Disagree reading and: a) Provide an actual or customer Meter register reading. b) Agree this Meter register reading with the old Supplier ³ . c) Send the agreed Meter register reading to the new NHHDC. Refer to 3.2.6.36. | New Supplier. New Supplier. New Supplier. | Old Supplier ³ . Old Supplier. New NHHDC. | D0300 Disputed Readings or Missing Readings on Change of Supplier ³ . D0300 Disputed Readings or Missing Readings on Change of Supplier. D0300 Disputed Readings or Missing Readings on Change of Supplier. | Manual Process. |

¹ Except where erroneous consumption values associated with the CoS reading are subject to an authorised Trading Dispute and a Post-Final Volume Allocation Run (PFVAR) has been scheduled. Where this exception applies a CoS reading can be disputed no later than 26 months after SSD.

² The Supplier may choose to raise a dispute where, in the Supplier's view, there is difference of more than 250kWh from the original CoS reading.

³ Refer to MRA Agreed Procedure 08 'The Procedure for Agreement of Change of Supplier Readings and Resolution of Disputed Change of Supplier Readings'.

| | | | | | | |
|----------|---|---|---------------|-----------------------------|--|-----------------|
| 3.2.6.34 | No later than 12 months ¹ after SSD if the old Supplier wants to dispute the CoS reading prior to the Final Volume Allocation Run ² . | Disagree reading and: | Old Supplier. | New Supplier. | D0300 Disputed Readings or Missing Readings on Change of Supplier. | Manual Process. |
| | | a) Send a request to the new Supplier to provide an actual Meter register reading or; (If option (a) selected, refer to 3.2.6.36.) | Old Supplier. | New Supplier ³ . | D0300 Disputed Readings or Missing Readings on Change of Supplier ³ . | |
| | | b) Provide an actual or customer Meter register reading or | Old Supplier. | New Supplier. | D0300 Disputed Readings or Missing Readings on Change of Supplier | |
| | | c) Agree an alternative Meter register reading, to be used as the CoS reading, with the new Supplier ³ . | New Supplier. | New NHHDC. | D0300 Disputed Readings or Missing Readings on Change of Supplier | |
| | | d) Send the agreed Meter register reading to the new NHHDC. (If option b) or c) and d) selected, refer to 3.2.6.33.) | | | | |

Please Note: If CP1320 were approved there will be an impact on the current footnote numbers within BSCP504.

There will be no additional impacts on BSCP504 as part of CP1320.