Change Proposal – F40/01 (Page 1 of 2)

CP No: 842 (mandatory by BSCCo)

Title (mandatory by originator)

Revision to Non-Half Historical Data Transfer Requirements

Description of Change (mandatory by originator)

Revise the current flexibility relating to the transfer of non-half hourly historical data (ie. meter readings and Annualised Advance / Estimated Annual Consumption) between old and new Non-Half Hourly Data Collectors (NHHDCs).

The non-half hourly historical data requirements are described in Appendix 4.8 'Historical Data Requirements' of BSCP504 'Non-Half Hourly Data Collection for SVA Metering Systems Registered in SMRS'. Appendix 4.8 specifies the minimum historical data transfer requirement which will be triggered in one of the following business events:

- A change of NHHDC; and
- A coincident change of NHHDC and Supplier.

Therefore the old NHHDC can choose to send more than the minimum specified in Appendix 4.8 of BSCP504.

Proposed Solution(s) (mandatory by originator)

Attachment 1 outlines the proposed solution(s).

Justification for Change (mandatory by originator)

There is flexibility on the amount of non-half hourly historical data that can be transferred from the old NHHDC to the new NHHDC within BSCP504. This therefore allows for different working practices to be adopted between NHHDCs, which can cause difficulties if the sender and receiver operate differently.

Applying a mandatory requirement would ensure that such conflicts would be removed.

Change Proposal – F40/01 (Page 2 of 2)		CP No: 842 (mandatory by BSCCo)
Other Configurable Items Potentially Affected by Proposed Solution(s) (optional by BSCCo)		
PSL120 'Non-Half Hourly Data Collection'		
Impact on Core Industry Documents (optional by originator)		
None.		
Related Changes and/or Projects (mandatory by BSCCo)		
None.		
Originator's Details:		
BCA Name:	Ceri Hughes	
Organisation:	ELEXON	
Email Address:	ceri.hughes@elexon.co.uk	
Date:	08/08/02	
Organisation:		
Attachments: Yes, see Attachment 1.		