

Change Proposal – F40/02 (Page 1 of 2)	CP No: 904 <i>(mandatory by BSCCo)</i>
Title <i>(mandatory by originator)</i> Change to SVA Data Catalogue flow D0030	
Description of Change <i>(mandatory by originator)</i> SVA Data Catalogue is inconsistent with the Data Transfer Catalogue (DTC) in the detail of data flow D0030 (Non Half Hourly DUoS Report)	
Proposed Solution(s) <i>(mandatory by originator)</i> Correct SVA Data Catalogue as follows: Backus- Naur Format (BNF): Non Half Hourly DUoS Report ::= (Supplier_ set PDSO_ set) Supplier_ set ::= ZHD ZPD RDT HDR SUP {DIS_ set} HD2 SU2_ set ZPT DIS_ set ::= DIS {GP1_ set} GP1_ set ::= GP1 {VMR SPX TOT} SU2_ set ::= SU2 {CCC} {SP2} PDSO_ set ::= ZHD ZPD RDT HDR {SUP_ set} HD2 {SSS_ set} ZPT SUP_ set ::= SUP DIS {GP1_ set} SSS_ set ::= <u>SUP</u> {CCC} {SP2}	
Justification for Change <i>(mandatory by originator)</i> DTC and D0030 flows being sent by SVAA contain the above SUP item in the SSS set, missed out by the SVA Data Catalogue. Therefore, the SVA Data Catalogue needs to be brought into line.	

<p>Change Proposal – F40/01 (Page 2 of 2)</p>	<p>CP No: 904 <i>(mandatory by BSCCo)</i></p>
<p>Other Configurable Items Potentially Affected by Proposed Solution(s) <i>(optional by BSCCo)</i></p>	
<p>Impact on Core Industry Documents <i>(optional by originator)</i></p>	
<p>Related Changes and/or Projects <i>(mandatory by BSCCo)</i></p>	
<p>Originator's Details:</p> <p><i>BCA Name</i> <i>Beth Brown</i></p> <p><i>Organisation</i> <i>ELEXON</i></p> <p><i>Email Address</i> <i>beth.brown@elexon.co.uk</i></p> <p><i>Date</i> <i>9/1/3</i></p> <p><i>[BSC Panel Representative].....</i></p> <p><i>Organisation.....</i></p>	
<p>Attachments: N (If Yes, No. of Pages attached:.....) <i>(delete as appropriate)</i></p>	