

|   |  |
|---|--|
| <b>Change Proposal – F40/01 (Page 1 of 2)</b>   | <b>CP No: 738</b><br><i>(mandatory by BSCCo)</i> |
|   |  |
| <b>Title</b> <i>(mandatory by originator)</i><br>Update to Contact Numbers in BSCP42  |  |
| <b>Description of Change</b> <i>(mandatory by originator)</i><br>The numbers for contacting an ELEXON Representative on a Business Continuity matter are out of date in the present BSCP.                                       |  |
| <b>Proposed Solution(s)</b> <i>(mandatory by originator)</i><br>The numbers are currently cited as:<br><br>04325 309410<br>and:<br>04325 309183.<br><br>These should be updated to:<br><br>07625 309410<br>and:<br>07625 309183 |  |
| <b>Justification for Change</b> <i>(mandatory by originator)</i><br>If external parties do not have the correct numbers they may not be able to notify ELEXON of a potentially critical event.                                  |  |

|  |  |
|--|--|
| <p><b>Change Proposal – F40/01 (Page 2 of 2)</b></p>   | <p><b>MP No:</b><br/><i>(mandatory by BSCCo)</i></p> |
| <p><b>Other Configurable Items Potentially Affected by Proposed Solution(s)</b> <i>(optional by BSCCo)</i><br/>none</p>  |  |
| <p><b>Impact on Core Industry Documents</b> <i>(optional by originator)</i><br/>none</p>   |  |
| <p><b>Related Changes and/or Projects</b> <i>(mandatory by BSCCo)</i><br/>none</p>   |  |
| <p><b><i>Originator's Details:</i></b></p> <p><b><i>BCA Name</i></b></p> <p><b><i>Organisation</i></b></p> <p><b><i>Email Address</i></b></p> <p><b><i>Date</i></b> 8<sup>th</sup> Jan 2002</p> <p><b><i>Organisation</i></b>.....</p> |  |
| <p>Attachments: /N*      (If Yes, No. of Pages attached:.....)<br/><i>(delete as appropriate)</i></p>  |  |