BSC Procedure BSCP40 Change Management Version 1.0

# Change Proposal – F40/01 (Page 1 of 2)

CP No: 529 (mandatory by BSCCo)

**Title** (mandatory by originator)

Entry of Negative CALF Values into CRA

### **Description of Change** (mandatory by originator)

Currently the screen used by the operator in the Logica Consortium does not allow for negative CALF values to be entered into CRA, even though negative CALF values may be received from Elexon. If this change is not made, the operator will not be able to record the correct CALF value for BM Units with a negative CALF value. This will mean that the CRA will report incorrect CALF values for these BM Units and calculate incorrectly their BM Unit Credit Assessment Import and Export Capabilities (BMCAICs and BMCAECs), which are issued to the SAA and ECVAA.

Also, the diagram on page 73 of the CRA URS is not consistent with the table on page 72.

## This has been raised to supersede NCR337

## **Proposed Solution(s)** (mandatory by originator)

- 1. Modify the screen used by the operator in the CRA for entering/changing Credit Allocation Load Factor (CALF) values so that negative values are permitted.
- 2. Furthermore, the User Requirement Specification of CRA(v2.2) should changed as follows:
  - Diagram on page 73, replace "SO (NGC)" (box on LHS) with "BSCCo Ltd.".

#### **Justification for Change** (mandatory by originator)

To uphold the integrity of Settlements and resolve any uncertainty on the CALF values held in CRA.

Other Configurable Items Potentially Affected by Proposed Solution(s) (optional by BSCCo)

CRA Screens and associated software

Impact on Core Industry Documents (optional by originator)
CRA URS will need to be updated.
Related Changes and/or Projects (mandatory by BSCCo)
Originator's Details:
BCA NameJames Shuker
OrganisationElexon
EmailAddressjames.shuker@elexon.co.uk
Date06/04/01
[BSC Panel Representative]
Organisation
Attachments: Y/N* (If Yes, No. of Pages attached:)  (delete as appropriate)