

3.3 Sample Participant Information provided by Suppliers

3.3.1 The Profile Administrator shall obtain the information necessary to meet the sampling requirements in accordance with BSCP510. The Profile Administrator shall request the required number of randomly selected Metering Systems and the following Sample Participant information for those selected Metering Systems from Suppliers:

- Profile Class;
- SSC;
- MSID;
- ~~MPAN;~~
- Name of Sample Participant and, if appropriate, contact name for non domestic Sample Participants;
- Address of Sample Participant;
- Sample Participant contact details and alternate contact details for non domestic Sample Participants;
- Annual energy consumption;
- Where applicable, day/night split of annual energy consumption;
- Where applicable (e.g. for Profile Classes 5 to 8), the Customer Type (e.g. industrial, commercial);
- GSP Group;
- Super Stratum;
- Stratum;
- Annual consumption;
- Whether the Sample Participant already has a Profile Capable Metering System that meets the minimum requirements (the Profile Administrator requires this information to be able to provide the Supplier with a rebate, and to ascertain whether its agent can dial the Meter for half hourly data collection for profiling purposes); and
- Whether the Supplier will appoint agents, either as nominated by the Profile Administrator or other agents as chosen by the Supplier for that Sample Participant ~~at MPID level.~~

3.3.2 The Profile Administrator shall carry out quality checks of the information which it receives to ensure that the Sample Participants selected fit the requirements of the sample in accordance with BSCP510.